









**SRUBENA UNIA**

1832 r.



	Dimension	Grade
Bolts	M5÷M56	3.6, 4.6, 4.8, 5.6, 5.8, 6.6, 6.8, 8.8, 9.8, 10.9, 11.9, 12.9, 14.9
Nuts	M12÷M39	04, 05, 5, 5-2, 6, 8, 9,10, 12













Products acc. to Standards (EN, DIN, PN, ANSI, BS, ГOCT)

LP	Drw.	Description	Current Standard	Equivalent Standards		Grade
			EN	DIN	PN	
1		Hexagon head bolts M5÷M56	4014 4016 8765	931 960	82101	4.6 ÷ 12.9
2		Hexagon head bolts fully threaded M5÷M56	4017 4018 8676	933 961	82105	4.6 ÷ 12.9
3		Hexagon head bolts for steel construction M12÷M30		7990		4.6 ÷ 8.8
4		Hexagon head set screws with dog point M6÷M36		561	82303	8.8
5		Hexagon head set screws with dog point and flat cone end M16÷M20		564	82304	8.8
6		Hexagon flange screws M5÷M16	1665	6921	82247	8.8 ÷ 10.9
7		Hexagon socket head cap screw M5÷M48	4762	912	82302	8.8 ÷ 12.9
8		Hexagon socket countersunk head screw M8÷M16	10642	7991		8.8 ÷ 10.9

**SRUBENA UNIA**

1832 r.







9		Mushroom cup head square neck bolts M5÷M20	8677	603	82406	4.8 ÷ 8.8
10		Flat countersunk nib bolts M6÷M20		604	82408	4.6 ÷ 10.9
11		Flat countersunk square neck bolts (also with short square) M6÷M20		605 (608)	82402	4.6÷12.9
12		Cup head nib bolts M8÷M16		607	82410	4.6 ÷ 10.9
13		T-head bolts with square neck M6÷M30		186 188	82418	4.6 ÷ 8.8
14		T-head bolts M8÷M30		261	82424	4.6 ÷ 10.9
15		Hexagon socket button head bolts M5÷M8		7380		8.8 ÷ 10.9
16		Studs M6÷M36		938 939 835	82125 82131 82137	5.6 ÷ 10.9
17		Rivets M5÷M30		660 661 124	82952 82954	-
18		Eye bolt forgings M16 ÷ M30			82425	4.6
19		Threaded rods M5÷M48		975 976		4.6 ÷ 10.9
20		Hexagon nuts M12÷M39	4032 4034	555 934	82144 82153 82155	5 ÷ 12



SRUBENA UNIA

1832 r.



21		Hexagon nuts M16÷M36			74303	5 ÷ 8
22		Castle nuts M16÷M30		935	82148	5÷8
23		Prevailing torque type hexagon nuts with non-metallic insert M16÷M24	7040	985	82175	5÷8
24		Hexagon flange nuts M22÷M27			80015	5÷10

